

Quality makes the difference.



Dirt Trap Mats	Workplace Mats	Accessories
Floor Markings	Stable Mats	Innovations

www.global-mats.com

GLOBAL MATS

Your Specialist for Complete Equipment of Workstations

We are your competent partner concerning the equipment of workstations.

As a producer and wholesaler we offer a premium range of **ergonomic workplace mats**, **ESD-Mats with Accessories** and **Dirt Trap Mats**.

As a German manufacturer, we are very proud of the continuous improvement of our workplace mats in the ESD sector.

We are a dynamic team with many new ideas - we are constantly developing our first-class product range and our range of services.

We get organisation in every hall

Equipment of industrial halls by qualified employees with:

Floor Markings Pallet-space Markings Anti-slip Tapes Signs, Warning-Signs, Cable Bridges

Our Innovations developped together with our customers

Development and custom-made production of:

Drawer Platform with extendable drawers for standing workstations Goal: to compensate the difference in height of employees

Vehicle Installation: Notebook charging stations - lockable

From planning to installation - we offer individual solutions on site

Modern warehouses and optimized production routes: We offer special customer service with short delivery times. Each product is subjected to careful quality control before leaving our warehouse.

Quality makes the difference



Jörg Siegert - CEO Global Mats



Give us a call +49 (0) 4102 / 217 51 21



We are happy to advise you info@global-mats.com

DIRT TRAP MATS

Outdoor	6-9
Indoor	10-13



WORKPLACE MATS

Vinylfoam Mats	16-20
Comfort Mats 2-layer	21-23
Natural Rubber Mats	24-31
Polyurethane Mats	32-35
Conductive Mats, ESD-accessories	36-39



Workplace Mats

Floor Markings

Accessories

Stable Mats

Innovations

FLOOR MARKING TAPES

Anti-slip Tapes	42
Forklift-compatible Tapes	43
Luminous / reflective Tapes	44-45
Pallet Spaces	46
Warning-Signs	47



ACCESSORIES

Tool Protection	50-51
Knee Protection	52
Cable Bridges	53

STABLE MATS

BELMONDO Basic	56
BELMONDO Paddock	57

<image>

DRAWER PLATFORM

Ergonomic workplace to compensate diffence in hight of emloyees

60

61

VEHICLE INSTALLATION

Notebook charging station

Dirt Trap Mats



Product comparisation





MADAGASKAR Entrance Mat Indoor <u>with</u> PVC Borders

HAWAII Entrance Mat Indoor <u>without</u> PVC Borders



BORNEO Entrance Mat Indoor <u>without</u> PVC Borders


Use	Indoor	Indoor	Indoor
Thickness	7mm	8mm	10mm
Sizes	Standard Sizes	Custom Made	Custom Made
Absorption	5L water/m ²	5L water/m²	7L water/m ²
Cleaning	Manuel cleaning	Machine washable 30°C	Machine washable 30°C

Outdoor Safe

Resistent Anti-Slip Mat - especially for Outdoor Areas

Material: Surface:	PES, Glass yarn and PVC granules coarse lattice structure	Use outdoor: Entrance mat, on stairs, balcony and terrace
Thickness: Weight:	7mm 2.750g/m²	<u>Use indoor:</u> Commercial kitchens, cold stores, wet rooms workplaces with heavy use
 <i>i</i> Safet good <i>i</i> Insen <i>i</i> Provigripp <i>i</i> Non- 	ect anti-slip mat for all weather conditions y mat with open surface structure for water permeability sitive to water, cold and heat des a secure hold in all weather conditions, y PVC granules slip R13 surface mely resistant, rot-resistant, UV-resistant	

Best quality for long service life



B x L	dark grey	black/white	red	green	blue
120cm x 10m	7121 8 AN 12R	7121 8 SW 12R	7121 8 RO 12R	7121 8 GN 12R	7121 8 BL 12R
120cm x lfd.cm	7121 8 AN 120	7121 8 SW 120	7121 8 RO 120	7121 8 GN 120	7121 8 BL 120

i

6

DIRT TRAP MATS / Outdoor

JAMAIKA

Outdoor Mat - soft PVC-Loops

δ PVC,	anti-slip
	ώ PVC,

Surface:	PVC-Loops

Thickness:

i

i

13mm Weight: 4.000g/m²

i	Durable clean-running mat with an attractive feel

Soft PVC-Loops absorb dirt and moisture

i Unique drainage function


UV-stable, resistant to fading, non-slip R10

Version without edges as rolls Order your desired size!

Use:	

Entrance areas indoor and outdoor for intense use

Edges: Angular or round



B x L in cm	dark grey	grey	blue	black
60 x 90	7118 0 AN 69	7118 0 GR 69	7118 0 BL 69	7118 0 SC 69
120 x lfd.cm	7118 0 AN 120	7118 0 GR 120	7118 0 BL 120	7118 0 SC 120

B x L in cm	red	green	brown	Bottom
60 x 90	7118 0 RO 69	7118 0 GN 69	7118 0 BR 69	
120 x lfd.cm	7118 0 RO 120	7118 0 GN 120	7118 0 BR 120	

HAITI

Outdoor Mat - soft PVC-Loops

Material:	100% PVC, anti-slip
Surface:	PVC-Loops
Thickness:	14 mm
Weight:	4.900 g/m ²

Durable clean-running mat with an

Unique drainage function

Version with edges on request

Version without edges as rolls Order your desired size!

Soft PVC-Loops absorb dirt and moisture

UV-stable, resistant to fading, non-slip R11

attractive feel

<u>Use:</u>

Entrance areas indoor and outdoor for **intense** use

Edges: Available with or without edges



black	grey	blue	red
7121 0 SC 69	7121 0 GR 69	7121 0 BL 69	7121 0 RO 69
7121 0 SC 120	7121 0 GR 120	7121 0 BL 120	7121 0 RO 120

Version with edge

B x L in cm 60 x 90 120 x lfd.cm

B x L in cm	black	grey	blue	red
60 x 90	7122 0 SC 69	not available	7122 0 BL 69	7122 0 RO 69
120 x lfd.cm	7121 0 SC 120	not available	7122 0 BL 120	7122 0 RO 120

i

i

i

i

i

i

DRAIN Rub

perforated Rubber Mat - Ring Rubber Mat

Material:	100% Natural Rubber	<u>Use:</u>
Surface:	perforated	Outdoor: Resistant Mat in Entrance Areas
Bottom:	perforated	Indoor: Wet and dry areas, gastronomy, kitchen area, cooling area, workshop
Thickness:	23 mm	
Weight:	9.200 g/m²	high stress in 1- to 3-shift operation <u>Edges:</u>
		No bevelled edges
<i>i</i> Rubber per high-quality	forated mat made of y natural rubber	

i Good drainage, 22 mm perforation, nubs at the bottom for optimal circulation, moisture can drain off well

To enlarge with our connectors

- *i* Extremely resistant
- *i* Gives secure hold and offers good standing comfort
- i Anti-slip R10

i





DRAIN Rub	black	Connector
B x L in cm	ArtNr.	ArtNr.
80 x 120	7257 8 SC 812	7330 SC
100 x 150	7257 8 SC 1015	

MADAGASKAR


resistant Entrance Mat - 100% Polypropylen

Pile Material: 100% Polypropylen	
Bottom: dirt resistant PVC, anti-slip	
Pile Height: 5mm, total height 7mm	
Weight: 2.800g/m ²	

<u>Use:</u>	frequented Entrance Areas / Halls		
Edges:	PVC border reduces the risk of tripping		

i	Absorbs fine dirt and moisture optimally
i	Insensitive double-color combinations
i	Durable due to colorfast and UV-resistant fibers
i	Manual cleaning





B x L in cm	dark grey	blue	red	brown
60 x 90	7112 9 AN 69	7112 9 BL 69	7112 9 RO 69	7112 9 BR 69
90 x 150	7112 9 AN 915	7112 9 BL 915	7112 9 RO 915	7112 9 BR 915
120 x 180	7112 9 AN 1218	7112 9 BL 1218	7112 9 RO 1218	7112 9 BR 1218

blue

7113 9 BL 69

7113 9 BL 812

7113 9 BL 915

orange

7113 9 OR 69

7113 9 OR 812

7113 9 OR 915

MAURITIUS

resistant Entrance Mat - 100% Polypropylen

Pile Material: 100% Polypropylen Bottom: dirt resistant PVC, anti-slip Pile Height: 7mm, total height 9mm Weight: 3.000g/m²

i	Absorbs fine dirt and moisture maximum
i	Insensitive double-color combinations
i	Durable due to colorfast and UV-resistant fibers

dark grey

7113 9 SC 69

7113 9 SC 812

7113 9 SC 915

7113 9 RO 69

7113 9 RO 812

7113 9 RO 915

red

grey

7113 9 GR 69

7113 9 GR 812

7113 9 GR 915

turquoise

7113 9 TK 69

7113 9 TK 812

7113 9 TK 915

Manual	cleaning

B x L in cm

60 x 90

80 x 120

90 x 150

B x L in cm

60 x 90

80 x 120

90 x 150

<u>Use:</u>	frequented Entrance Areas / Halls
Edges:	PVC border reduces the risk of tripping

Dirt Trap Mats

11

brown

violet

7113 9 VI 69

7113 9 VI 812

7113 9 VI 915

7113 9 BR 69 7113 9 BR 812

7113 9 BR 915

HAWAII

Entrance Mat - 100% Cotton


Pile Material: 100% Cotton
Bottom: flexible vinyl, anti-slip
Pile Height: 5mm, total height 8mm
Weight: 2.800g/m²

<u>Use:</u>	Entrance Areas, Offices, Industrial Halls frequented Indoor Areas
<u>Our service:</u>	We produce customer dimensions
Edges:	Square or round

i High-quality easy-care material

- *i* Absorbs dirt and moisture
- *i* Insensitive melange-color combinations

Washable up to 30°C



s St					
ovations	B x L in cm	grey	dark grey	brown	beige
ova	50 x 80	7115 9 GR 58	7115 9 AN 58	7115 9 BL 58	7115 9 BE 58
lnn	100 x lfd.cm	7115 9 GR 100	7115 9 AN 100	7115 9 BL 100	7115 9 BE 100

melange


7115 9 ME 58

7115 9 ME 100

blue

7116 9 BL 58

7116 9 BL 100



BORNEO

i

B x L in cm

50 x 80 100 x lfd.cm black

7116 9 SC 58

7116 9 SC 100

red

7116 9 RO 58

7116 9 RO 100

resistant Entrance Mat - 100% Polyester

Dirt Trap Mats

melange

7116 9 ME 58

7116 9 ME 100

DIRT TREAP MATS / Indoor

grey

7116 9 GR 58

7116 9 GR 100

brown

7116 9 RO 58

7116 9 RO 100

Workplace Mats



Product comparison



1-layer Vinylfoam Mat

Laminated Vinylfoam Mat

DUPLEX Pro 2-layer Vinylfoam Mat

Use	Indoor	Indoor	Indoor
Thickness	13mm	13mm	14mm
Sizes	Individual dimensions	Individual dimensions	Individual dimensions
Ergonomics	$\bigstar \bigstar \bigstar \bigstar \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$
Resistance oil, chemicals	$\bigstar \bigstar \And \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$
Resilience	$\bigstar \bigstar \bigstar \bigstar \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$	$\bigstar \bigstar \bigstar \bigstar \bigstar$

SOFT STEP textured - TOPSELLER!

Anti-Fatigue Mat - Vinylfoam

Material:	100% Vinylfoam
Surface:	textured
Bottom:	anti-slip R10
Thickness:	10mm
Weight:	2.800g/m²

Our basic workplace mat cushions slightly and reduces leg and back discomfort

- *i* The textured surface provides a secure hold and prevents slipping, easy cleaning
 - The mat adapts smoothly and non-slip to the floor
 - Good insualtion against cold from the ground
- *i* Reduces impact sound level in the work area
- Silicone-free, DEHP- and adhesive-free, recycable

Use:

Dry assembly, packaging and control workstations

Normal stress in 1-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping





textured	black	black/yellow	grey
B x L in cm	ArtNr.	ArtNr.	ArtNr.
60 x lfd.cm	7215 0 SC 60	7215 0 SG 60	7215 0 GR 60
90 x lfd.cm	7215 0 SC 90	7215 0 SG 90	7215 0 GR 90
120 x lfd.cm	7215 0 SC 120	7215 0 SG 120	7215 0 GR 120

i

i

i

SOFT STEP grooved

Anti-Fatigue Mat - Vinylfoam

Material:	100% Vinylfoam
Surface:	grooved
Bottom:	anti-slipR10
Thickness:	10mm
Weight:	2.800g/m²

- *i* Our basic workplace mat cushions slightly and reduces leg and back discomfort
- *i* The grooved surface provides a secure hold and prevents slipping, easy cleaning
- *i* The mat adapts smoothly and non-slip to the floor
- *i* Good insualtion against cold from the ground
- *i* Reduces impact sound level in the work area
 - Silicone-free, DEHP- and adhesive-free, recycable

Use:

Dry assembly, packaging and control workstations

Normal stress in 1-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping





grooved	black	grey
B x L in cm	ArtNr.	ArtNr.
60 x lfd.cm	7215 4 SC 60	7215 4 GR 60
90 x lfd.cm	7215 4 SC 90	7215 4 GR 90
120 x lfd.cm	7215 4 GC 120	7215 4 GR 120

nnovation

SOFT STEP Ergo - TOPSELLER!

Comfort Anti-Fatigue Mat

Material:	100% Vinylfoam
Surface:	Diamond pattern
Bottom:	anti-slip R10
Thickness:	13mm
Weight:	3.800g/m²

i

Our high-quality workplace mat cushions significantly and reduces leg and back discomfort

- The Diamond surface structure provides a secure hold and avoids slipping, easy cleaning
- *i* The mat adapts smoothly and non-slip to the floor
- *i* Good insulation against cold from the ground
 - Reduces impact sound level in the work area
 - Silicone-free, DEHP- and adhesive-free, recyclable

Use:

Dry assembly, packaging and control workstations

High stress in 1- to 2-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping





Diamond pattern	black	black/yellow
B x L in cm	ArtNr.	ArtNr.
60 x lfd.cm	7219 3 SC 60	7219 3 SG 60
90 x lfd.cm	7219 3 SC 90	7219 3 SG 90
120 x lfd.cm	7219 3 SC 120	7219 3 SG 120

SOFT STEP Comfort

2-layer Comfort Anti-Fatigue Mat

Material:	hardened Vinyl surface on Vinylfoam		
Surface:	textured		
Bottom:	anti-slip R10		
Thickness:	13mm		
Weight:	4.600g/m ²		

- *i* Our comfort workplace mat cushions significantly and offers high ergonomics at standing workstations
- *i* The hardened textured surface offers a particularly secure hold, easy cleaning
- *i* The mat adapts smoothly and non-slip to the floor
- *i* Good insulation against cold from the ground
- *i* Reduces impact sound level in the work area
- *i* Silicone-free, DEHP- and adhesive-free, recyclable

Use:

Dry assembly, packaging and control workstations

High stress in 1- to 3-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping





textured	black	grey
B x L in cm	ArtNr.	ArtNr.
60 x lfd.cm	7218 0 SC 60	7218 0 GR 60
90 x lfd.cm	7218 0 SC 90	7218 0 GR 90
120 x lfd.cm	7218 0 SC 120	7218 0 GR 120

DUPLEX

2-layer Comfort Mat with hardened surface

Material:	Vinyl/Nitril-foam with hardened	
	surface	
Surface:	Diamond pattern / grained	
Bottom:	anti-slip R10	
Thickness:	13mm	
Weight:	4.000g/m²	

i

i

i

Two-layer anti-fatigue mat with special comfort for fatigue-free standing

Particularly secure hold - even in damp or wet condition

Special surface treatment: resistant to organic and inorganic acids, detergents, mineral oil, alcohol, amines/aldehydes

i Good insulation against cold from the ground

Reduces sound level in the work area

Silicone-free, DEHP- and adhesive-free, recycable


Use:

Dry assembly, packaging and control workstations

High stress in 1- to 3-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping





Diamond pattern	black	grained	black
B x L in cm	ArtNr.	B x L in cm	ArtNr.
60 x lfd.cm	7221 3 SC 60	60 x lfd.cm	7221 5 SC 60
90 x lfd.cm	7221 3 SC 90	90 x lfd.cm	7221 5 SC 90
120 x lfd.cm	7221 3 SC 120	120 x lfd.cm	7221 5 SC 120

DUPLEX Pro - Our TOPSELLER for the industry!

2-layer Anti-fatigue Mat with wear-resistant surface

Material:	PVC layer on thermoplastic vinylfoam
Surface:	Diamond pattern
Bottom:	anti-slip R10
Thickness:	14mm
Weight:	6.100g/m ²

Our comfort mat for the Industry Made in Germany by GLOBAL MATS

Particularly sure-footed due to the highquality PVC surface with diamond profile

Resistant to fats, oils, many chemicals

B1- flame retardant, self-extinguishing

Excellent insulation against cold from the ground

Reduces sound level in the work area significantly

Use:


Dry assembly, packaging and control workstations


Intense stress in 2- to 3-shift operation

Edges:

Mechanically bevelled and sealed edges on all sides minimize the risk of tripping










DUPLEX Pro Industry

2-layer Anti-fatigue Mat - wear-resistant surface

Material:	wear-resistant PVC-layer on thermoplastic vinylfoam
Surface:	Bubble pattern
Bottom:	anti-slip R10
Thickness:	15mm
Weight:	4.500g/m²


i Comfort Anti-fatigue Mat for Industry high ergonomics

- Performance enhancing through interaction of stimulation and suspension
- *i* Perfect for rotary movements
 - Excellent insulation against cold from the ground
- *i* Resistant to fats, oils, many chemicals
 - B1- flame retardant, self-extinguishing



High stress in 2- to 3-shift operation

<u>Edges:</u> Bevelled edges on all sides minimize the risk of tripping









Bubble	black	black/yellow
B x L in cm	ArtNr.	ArtNr.
60 x lfd.cm	7224 1 SC 60	7224 1 SG 60
90 x lfd.cm	7224 1 SC 90	7224 1 SG 90
120 x lfd.cm	7224 1 SC 120	7224 1 SG 6120

i

DUPLEX Pro Platin

high ergonomics

platinum coating

Weight:

i

2-layer Anti-fatigue Mat for Workplaces with Light Influence

Material:	wear-resistant PVC-layer on thermoplastic vinyl foam
Surface:	Diamond pattern
Bottom:	anti-slip R10
Thickness:	14mm

6.100g/m²

Comfort Anti-fatigue Mat for Industry

Light shadows are reduced by special

Resistant to fats, oils, many chemicals

B1- flame retardant, self-extinguishing

Reflective surface optimize lighting conditions

Excellent insulation against cold from the ground


Use:

Automotive Industry, assembly and production stations with Light Influence

High stress in 2- to 3-shift operation

Edges:

Bevelled edges on all sides minimize the risk of tripping



Diamond pattern	silver/metallic
B x L in cm	ArtNr.
60 x lfd.cm	7224 3 SM 60
90 x lfd.cm	7224 3 SM 90
120 x lfd.cm	7224 3 SM 120

Diamond pattern	silver/metallic	
B x L in cm	ArtNr.	
60 x lfd.cm	7224 3 SM 60	
	7224 2 614 00	

TEC Rub

Mat System - 100% Natural Rubber Tiles

Material:	100% Natural Rubber
Surface:	perforated / closed
Bottom:	Nubs
Thickness:	16mm
Weight:	4.000g/m²

Perforated mats: good drainage

Universal Rubber Tiles in plug-in system

extremely resistant, non-slip, anti-fatigue

Rasterization 30cm x 30cm for custom-made products, can be enlarged as desired and combined with each

Optional ramps/edges reduce the risk of tripping and enable driving with light transport decives (sack truck)

Good insulation against cold from the gound

<u>Einsatzbereich:</u> Dry assembly, packaging and control workstations

High stress in 1- to 3-shift operation

<u>Accessories:</u> Ramps and Edges



Workplace Mats

i

i

i

other

TEC Rub

90cm x 90cm

black

Art.-Nr.

yellow

7318 GE











gelocht	7245 8 SC 99	Edge	7321 SC	7321 GE
geschlossen	7245 7 SC 99	Connector	7341 SC	

Ramp

Accessories black

7318 SC




Mat System - 100% Nitrile Rubber Tiles

Material:	100% Nitril
Surface:	perforated/ closed
Bottom:	Nubs
Thickness:	16mm
Weight:	4.000g/m ²



Universal Nitrile Rubber Tiles in plug-in system extremely resistant, non-slip, anti-fatigue

Rasterization 30cm x 30cm for custom-made products, can be enlarged as desired and combined with each other



Perforated mats: good drainage

Optional rams/edges reduce the risk of tripping and enable driving with light transport decives (sack truck)

Resistant to most chemicals, flame retardant





Dry assembly, packaging and control workstations, welding workstations

High stress in 1- to 3-shift operation

Accessories:

Ramps and Edges





TEC Rub	black	red	Accessories	black	yellow	red
90cm x 90cm	ArtNr.	ArtNr.	Ramp	7318 SC	7318 GE	7318 RO
gelocht	7245 86 SC 99	7245 86 RO 99	Edge	7321 SC	7321 GE	7321 RO
geschlossen	7245 76 SC 99	7245 76 RO 99	Connector	7341 SC		

LINK Rub

Ergonomic Rubber Mat - Puzzle System or Single Mat

Material:	100% Natural Rubber
Surface:	Diamond pattern
Bottom:	anti-slip R10
Thickness:	12mm
Weight:	7.500g/m²

Use:

Dry or damp assembly, packaging and control workstations, register area, service area


High stress in 1- to 3-shift operation

Edges:

Bevelled edges on all sides minimize the risk of tripping




Profile on the backside causes ergonomic standing and walking, leg and back discomfort are reduced











Diamond pattern	B x L in cm	ArtNr.
End Mat	71 x 78	7248 3 SC 78E
Middle Mat	71 x 77	7248 3 SC 78M
Single Mat	71 x 79	7248 3 SC 78S

i

i

i

Use:

Edges:

register area, service area

High stress in 1- to 3-shift operation

Dry or damp assembly, packaging and control workstations,

Bevelled edges on all sides minimize the risk of tripping

BUBBLE Rub link

Ergonomic Rubber Mat - Puzzle System

Material:	100% Natural Rubber
Surface:	Bubble
Bottom:	anti-slip R10
Thickness:	14mm
Weight:	9.200g/m ²



Extremely resistant universal rubber mat made of abrasion-resistant natural rubber

Bubble surface provides secure hold and makes rotational movements easier

The length of the runner can be adapted to individual needs by removing or adding centerpieces

Profile on the backside causes ergonomic standing and walking, leg and back discomfort are reduced


Excellent insulation against cold from the ground, reduces noise and vibrations





Bubble	B x L in cm	ArtNr.
End Mat	80 x 30	7254 1 SC 83
Middle Mat	80 x 70	7254 1 SC 87
Single Mat	60 x 90	7254 1 SC 69





Workplace Mats

BUBBLE Rub - TOPSELLER!

ergonomic Rubber Mat - bevelled edges

Material:	100% Natural Rubber
Surface:	Bubble
Bottom:	anti-slip
Thickness:	14mm
Weight:	9.200g/m²

Use:

Dry or damp assembly, packaging and control workstations, register area, service area

High stress in 1- to 3-shift operation

Edges:

Bevelled edges on all sides minimize the risk of tripping

- Extremely resistant universal rubber mat made of abrasion-resistant natural rubber
- *i* Bubble surface provides secure hold and makes rotational movements easier
- Profile on the backside causes ergonomic standing and walking, leg and back discomfort are reduced
- High Standing Comfort, Anti-slip R10
- Reduces noise and vibrations
- Excellent insulation against cold from the ground





Bubble	black	black/yellow
B x L in cm	ArtNr.	ArtNr.
60 x 90	7254 1 SC 69	7254 1 SG 69
90 x 120	7254 1 SC 912	7254 1 SG 912

i

29

WORK Rub - TOPSELLER!

perforated Rubber Mat / Ring Rubber Mat - bevelled edges

Material:	100% Natural Rubber	<u>Use:</u>
Surface:	perforated	Dry or damp assembly, packaging and control workstations,
Bottom:	perforated	register area, service area
Thickness:	15mm	High stress in 1- to 3-shift operation
Weight:	4.800g/m ²	Edges:
		Bevelled edges on all sides minimize the risk of tripping



Extremely resistant universal rubber mat made of abrasion-resistant natural rubber / nitrile

- Two versions: oil-resistant (black) or oil-resistant /nitrile 1 (black or red)
- Good drainage through 22mm perforation, moisture can drain off well i
- Good Standing Comfort, anti-slip R10 i
- Can also be used as a resistant outdoor floor mat
- Insulation against cold from the ground i





22mm perforation	black (Natural Rubber)	red (Nitrile)	black (Nitrile)
B x L in cm	ArtNr.	ArtNr.	ArtNr.
90 x 150	7251 8 SC 159	7252 8 RO 159	7252 8 SC 159

DRAIN Rub

perforated Rubber Mat - Ring Rubber Mat

Material:	100% Natural Rubber
Surface:	perforated
Bottom:	perforated
Thickness:	23mm
Weight:	9.200g/m²

Rubber perforated mat made of high-quality natural rubber

To enlarge with our connectors

Extremely resistant

Anti-slip R10

Good drainage, 22 mm perforation, nubs at the bottom for optimal circulation, moisture can drain off well


Gives secure hold and offers good Standing Comfort



i

i







DRAIN Rub	black	Connector
B x L in cm	ArtNr.	ArtNr.
80 x 120	7257 8 SC 812	7330 SC
100 x 150	7257 8 SC 1015	

30

Use:

Indoor:

Edges:

Outdoor: Resistant Mat in Entrance Areas

high stress in 1- to 3-shift operation

No bevelled edges

Wet and dry areas, gastronomy, kitchen area, cooling area, workshop

Runner made of 100% Natural Rubber

Reduces sound level in the work area, good isolation

Protection against the risk of slipping

Perfect under tools and machines

OLYMP Rib

OLYMP Profi

i

i

i

resistant Rubber Runner

Surface:	Fine Ribbe	d
Thickness:	3mm	
Weight:	2.600g/m²	
B x L in cm	Farbe	ArtNr.
120 x lfd.cm	black	7233 4 SC 120
120 x 1000	black	7233 4 SC 12R

OLYMP Big Rib

Surface:	Ribbed	
Thickness:	6mm	
Weight:	6.500g/m ²	2
B x L in cm	Farbe	ArtNr.
100 x lfd.cm	black	7236 4 SC 100

OLYMP Circle


Surface:	Flat Dots	
Thickness:	3mm	
Weight:	3.700g/m ²	2
D I for some		
B x L in cm	Farbe	ArtNr.
120 x lfd.cm		ArtNr. 7239 2 SC 120

OLYMP Diamond

Surface:	Diamond	
Thickness:	3mm	
Weight:	4.000g/m ²	2
B x L in cm	Farbe	ArtNr.
	Faibe	AIL-INI.
150 x lfd.cm		7242 3 SC 150

Use:

Floor Mat in halls, protection of tools, machines and surfaces, on workbenches, in vehicles







RELAX FOOT Diamond

Anti - Fatigue Mat - Polyurethane soft foam

Material:	PUR-Integral Flexible Foam
Surface:	Diamond pattern
Bottom:	anti-slip
Thickness:	12mm
Weight:	4.800g/m²

j

- Ergonomics Mat perfect for standing workstations with frequent rotational movements
- *i* Maximum freedom of movement due to flat profile on the top and wave profile on the bottom
- *i* Reduces premature fatigue and maintains employee productivity
- *i* Noticeable relief at standing workstations
 - High slip resistance
- *i* Extremely durable, easy to clean

Use:

Picking workstations, assembly and packing stations with frequent rotational movements

high Stress in 1- to 3-shift operation

Edges:

Bevelled edges reduce the risk of tripping and enable driving with light transport equipment (sack truck or similar)





B x L in cm	ArtNr.
65 x 95	7211 3 AN 69
65 x 185	7211 3 AN 618
95 x 125	7211 3 AN 912
95 x 185	7211 3 AN 918

Also available in <u>ESD and/or B1</u> flame retardant Special dimensions available

Dirt Trap Mats

5
3
0
s .
0
3

RELAX FOOT Bubble

Anti - Fatigue Mat - Polyurethane soft foam

Material:	PUR-Integral Flexible Foam
Surface:	Bubble
Bottom:	anti-slip
Stärke:	14mm
Gewicht:	4.800g/m ²

i

Ergonomics Mat - perfect for standing workstations (also with moisture)

- *i* Best standing comfort due to bubble pattern on the top and wave profile on the bottom
- *i* Reduces premature fatigue and maintains employee productivity
- *i* Noticeable relief at standing workstations
- *i* Optimum slip resistance
- *i* Extremely durable

Use:

Picking workstations, assembly and packing stations with frequent rotational movements

high Stress in 1- to 3-shift operation

Edges:

Bevelled edges reduce the risk of tripping and enable driving with light transport equipment (sack truck or similar)





B x L in cm	ArtNr.
65 x 95	7212 1 AN 69
65 x 185	7212 1 AN 618
95 x 125	7212 1 AN 912
95 x 185	7212 1 AN 918

Also available in <u>ESD and/or B1</u> flame retardant Special dimensions available

Expert advice: 04102 / 217 51 21

RELAX FOOT Comfort

Anti - Fatigue Mat - Polyurethane soft foam

Material:	PUR-Integral Flexible Foam
Surface:	Flat Mini-Dots
Bottom:	anti-slip
Thickness:	13mm
Weight:	4.800g/m ²

Ergonomics Mat for movement-intensive standing workstations

- Maximum freedom of movement flat mini-dots
- Reduces premature fatigue and maintains employee productivity
- *i* Noticeable relief at standing workstations
 - High slip resistance
 - Extremely durable, easy to clean



Movement-intensive picking workstations, assembly and packing stations

High stress in 1- to 3-shift operation

Edges:

Bevelled edges reduce the risk of tripping and enable driving with light transport equipment (sack truck or similar)





B x L in cm	ArtNr.
65 x 95	7211 3 AN 69
65 x 185	7211 3 AN 618
95 x 125	7211 3 AN 912
95 x 185	7211 3 AN 918

Also available as <u>ESD version</u> Special dimensions available

Dirt Trap Mats

Anti - Fatigue Mat - Polyurethane soft foam

Material:	PUR-Integral Flexible Foam
Surface:	Flat Mini-Dots
Bottom:	anti-slip
Thickness:	13mm
Weight:	4.800g/m²



Ergonomics Mat for movement-intensive standing workstations

i Link system: laying of endless lanes possible

- *i* Reduces premature fatigue and maintains employee productivity
- *i* Noticeable relief at standing workstations
- i High slip resistance
 - Extremely durable, easy to clean


Use:

Movement-intensive picking workstations, assembly and packing stations


High stress in 1- to 3-shift operation

Edges:

Bevelled edges reduce the risk of tripping and enable driving with light transport equipment (sack truck or similar)









B x L in cm	Type of Mat	ArtNr.	
65 x 90	End Mat	7213 2 AN 691	Also available as <u>ESD version</u>
65 x 90	Middle Mat	7213 2 AN 692	Special dimensions available

ELEKTRA

ESD - Anti-fatigue Mat with press stud

rubber mixture

textured

10mm

2.800g/m²

Comfort Protective Mat for ESD-workstations Leakage resistance 10⁸ - 10⁹ Ohm

from static electricity and electric shocks

Protection of employees and sensitive equipment

Electrostatic discharge controlled with ESD-Accessories

anti-slip R10

Weight:

i

i

i

(p.39)

		CELEBOOK STATES AND ST
i	The Mat cushions slightly and reduces leg and back discomfort - good Standing Comfort	
i	Good insulation against cold from the ground	
i	Silicone-free, DEHP- and adhesive-free	

B x L in cm	ArtNr.
60 x lfd.cm	7230 5 GR 60
90 x lfd.cm	7230 5 GR 90
120 x lfd.cm	7230 5 GR 120

Polyvinyl chloride and nitrile

ESD-Workplaces

Use:

Normal stress in 1- to 2-shift operation

Edges: Mechanically bevelled and sealed edges on all sides minimise the risk of tripping



Order your individual measurement

DUPLEX Pro ESD

2-layer ESD-Anti-fatigue Mat with press stud



Material:	PVC layer on thermoplastic vinyl/nitrile foam
Surface:	Diamond pattern
Bottom:	anti-slip R10

14mm

Thickness:

- Weight: 6.100g/m²
- *i* Comfort protective mat for ESD workstations Leakage resistance 10⁸ 10⁹ Ohm
- *i* Protection of employees and sensitive equipment from static electricity and electric shocks
- *i* Electrostatic discharge controlled with ESD-Accessories (p.39)
- *i* High ergonomics, significant relief at standing workstations
- *i* Excellent insulation against cold from the ground
 - Resistant to fats, oils and most chemicals



Bevelled edges on all sides minimise the risk of tripping

Einsatzbereich:

Edges:

ESD-Workplaces / Heavy Industry

High stress in 2- to 3-shift operation



Diamond pattern	black	black/yellow	
B x L in cm	ArtNr.	ArtNr.	
60 x lfd.cm	7224 3 SC 60 ESD	7224 3 SG 60 ESD	
90 x lfd.cm	7224 3 SC 90 ESD	7224 3 SG 90 ESD	
120 x lfd.cm	7224 3 SC 120 ESD	7224 3 SG 6120 ESD	



Workplace Mats

ELEKTRON

ESD - Workplace Mat

aterial:	100% Vinylfoam	<u>Use:</u>
ırface:	smooth	Work surfaces with required ESD control
ottom:	anti-slip	
nickness:	2,5mm	
/eight:	3.800g/m²	
 High-quality on tables an Protects empleakage resis Electrostatic ESD accesson Mat lies smc 	ESD protective mat for static safety d work surfaces ployees and sensitive devices from damage, stance 10 ⁹ - 10 ¹⁰ Ohm discharge controlled in conjunction with ries (p39)	
i Extremely du	urable, easy to clean	
	 Inface: <	urface: smooth anti-slip ickness: 2,5mm /eight: 3.800g/m² High-quality ESD protective mat for static safety on tables and work surfaces Protects employees and sensitive devices from damage, leakage resistance 10° - 10 ¹⁰ Ohm Electrostatic discharge controlled in conjunction with ESD accessories (p39) Mat lies smoothly and non-slip on the table

B x L in cm	blue	grey
60 x lfd.cm	7224 1 SC 60	7224 1 SG 60

38

ESD - Accessories

Accessories

for ESD-Workplaces

Wrist strap	ArtNr.
with cable	7328

Metal Wrist Strap	ArtNr.
with cable	7331

Grounding extensors	ArtNr.
1MOhm, 4mm Buchse	7325

Grounding plug EU04	ArtNr.
1MOhm, M5Connection	7326

Heel band	ArtNr.
Double protection	7332





Floor markings




Services



 \checkmark

Planning of individual solutions

Laser Measurement / Pre-marking









 \checkmark

Cleaning / Floor Treatment

SAFELINE

anti-slip Floor Marking Tapes

Material:	fine-grained alumina
Surface:	mineral-grained
Bottom:	adhesive
Thickness:	1mm

Use:

Stairs, ramps, danger areas, escape routes, entrance areas with flat surfaces



-						
BxL	black	yellow	ye fluorescent	blue	red	white
25mm x 18,3m	7412 0 SC 2R	7412 0 GE 2R	7412 0 FL 2R	7412 0 BL 2R	7412 0 RO 2R	7412 0 WE 2R
50mm x 18,3m	7412 0 SC 5R	7412 0 GE 5R	7412 0 FL 5R	7412 0 BL 5R	7412 0 RO 5R	7412 0 WE 5R
100mm x 18,3m	7412 0 SC 10R	7412 0 GE 10R	7412 0 FL 10R	7412 0 BL 10R	7412 0 RO 10R	7412 0 WE 10R

B x L	Black with 10mm stripes - luminous
50mm x 10m	7412 0 SN 5R

Other colors: blue, red, white

extremely durable Floor Marking Tape - suitable for forklifts

Material:	homogeneous plastic
Surface:	textured
Bottom:	adhesive
Thickness:	1mm

i


SAFELINE Durable


Floor marking tape with high material thickness (1000 my) - withstands mechanical stress

- Bevelled edges passable with pallet truck, forklift or i cleaning machine
- Solid adhesive coating excellent adhesive strength i

i Through-dyed tape - high load capacity

- Ideal for hall floors with heavy use
- i Highest quality for long durability





ВхL	yellow	ye fluorescent	black	black/yellow	red/white	luminous
50 mm x 30 m	7428 0 GE 5R	7428 0 FL 5R	7428 0 SC 5R	7428 0 SG 5R	7428 0 RW 5R	7428 0 NL 5R
75 mm x 30 m	7428 0 GE 7R	7428 0 FL 7R	7428 0 SC 7R	7428 0 SG 7R	7428 0 RW 7R	7428 0 NL 7R
100 mm x 30 m	7428 0 GE 10R	7428 0 FL 10R	7428 0 SC 10R	7428 0 SG 10R	7428 0 RW 10R	7428 0 NL 10R

Use:

Indoor: Warehouses, production halls, department stores

SAFELINE Glow

Smooth Marking Tape - luminous

SAFELINE Glow consists of a conventional plastic base film, which is impregnated with photoluminescence powder. The material is charged via natural or artificial light and glows as soon as the environment darkens.

In light, the band is white, in the dark it glows light green.

Use:

Marking of

stairs, railings, ramps, danger areas, escape routes

BxL	ArtNr.
25mm x 18,3m	7421 7 WE 2R
50mm x 18,3m	7421 7 WE 5R



SAFELINE Arrow

smooth Hazard Marking Tape - luminous

Product extension of our monochrome marking tape - the black arrows over the entire length of the ribbon make the product **more visible, much more eye-catching** and **groundbreaking**

Use:

Marking of

stairs, corridors, access areas escape routes, exits

BxL	ArtNr.
50mm x 18,3m	7424 7 SW 5R



44

ble Mats

45

Thickness: 0,5mm To mark edges and low-hanging objects i Passable with pallet trucks and cleaning machines i Suitable for stairs or steps i i Suitable as a floor marking i Excellent adhesive strength Easy to clean i

B x L	yellow	black/yellow	red	blue
25mm x 10m	7427 7 GE 2R	7427 7 SG 2R	7427 7 RO 2R	7427 7 BL 2R
50mm x 10m	7427 7 GE 5R	7427 7 SG 5R	7427 7 RO 5R	7427 7 BL 5R

SAFELINE Reflective

Material:

Surface:

Bottom:

smooth Marking Tape - reflective

PVC

adhesive

<u>Use:</u>

Indoor: factories, warehouses and department stores

SAFELINE Pallet Tape

Floor Markings for pallet spaces


i

i

i

6		
G	5	
5	5	
	2	
ŝ	2	
h		
-		

	B x L in cm	yellow
X-Stück	30 x 30	7430 E7 GE X1
T-Stück	30 x 20	7430 E7 GE T1
L-Stück	20 x 20	7430 E7 GE L1
Punkt	9 x 9	7430 E7 GE O1
Pfeil	9 x 9	7430 E7 GE A1
Fußweg	24 x 9	7430 E7 GE S1
	2120	, 100 L/ GL 01



L-Piece

X-Piece

T-Piece

Also available as Heavy Duty version

Ideal for marking pallet spaces on the ground as well as driving and running paths

- No drying time, immediately accessible
- Easy to replace easy to remove

Footpath

SAFELINE Warning Signs

Self-adhesive



Self-adhesive plastic signs in industrial quality

Standardized symbols according to legal regulations and personalized warning signs

i

Strong contrasting colors, good visibility

Use:

Floor application, on walls and doors, machines, on all smooth surfaces









Tool Protection

 \checkmark









SLIP STOP Open Top

perfect Anti-slip Mat

Material:	PES / Glass yarn fabric
Surface:	close-meshed mesh fabric
Bottom:	anti-slip
Thickness:	2,5mm

Use:

Tool drawers, shelves, serving trays, carpet pads, vehicles, boats



i

Ideal Anti-slip Mat, universally usable

- *i* Coated on both sides with special PVC foam, reliably protects tools and storage surfaces
- *i* Tool cannot slip due to inclination or quick closing of drawers
- i
 - *i* Washable up to 60°C
 - *i* TÜV certified No. B12 01 413 10 003

Dimensionally stable, easy to cut





B x L in cm	Colour	ArtNr.
120 x 3000	black	7415 8 SC 12R
120 x lfd.cm	black	7415 8 SC 120

50

S

SLIP STOP Solid Top	
perfect Anti-slip Mat	

PES / Glasgarn Gewebe

Material:

viateriai.		Mandanda and an and all and an and the second states of the second second second second second second second se
urface:	closed fabric	Workshop, household, shelves, vehicles, boats
Bottom:	anti-slip	
hickness:	2,5mm	
i Ideal Anti	-slip Mat, universally usable	
i Coated or reliably pr	n both sides with special PVC foam, rotects tools and storage surfaces	
i Very dura no slippin	ble, moisture-repellent, g of objects	
<i>i</i> Dimensio	nally stable, easy to cut	
<i>i</i> Washable	e up to 60°C	
i TÜV certif	fied No. B12 01 413 10 003	1995
L		<image/>
S x L in cm		<image/> <image/>
		<image/>

Use:

Knee Pad PRO

Polyurethane

Material:	Polyurethane
Surface:	ergonomically shaped
Bottom:	no structure
Thickness:	80mm
Weight:	2.000g

Use:

Crafts, industry, gardening and workshop

Application:

Protective cushion for knee joints: The cushion promotes ergonomic kneeling through anatomically shaped shells




Anatomically shaped knee shells promote ergonomic kneeling - cushioning PUR material Protects sensitive knee joints

- Comfortable knee padding ensures optimal pressure distribution of body weight i
- i Knee pad PRO allows long kneeling without pain
 - Non-slip, resistant, durable, easy to clean
- Carrying handle for easy transport i







B x L in cm	Colour	ArtNr.
35 x 41 x 8	dark-grey	7333
35 x 41 x 8	blue	7334

52

e Mats

53

Cable Bridges

Hard Rubber mixture

i

i

i

i

i

i

Material:	Hard-Rubber mixture
Surface:	Checker plate
Bottom:	no structure
Thickness:	30-70mm
Weight:	5.000g

Use:

Perfect as overrun or tripping protection for cables, wires, hoses and pipes

Expert advice: 04102 / 217 51 21

Easy crossing of cables, wires, hoses and pipes Freely expandable / plug-in system Optimal protection through hard rubber mixture No-slip Surface minimizes risk of slipping Signal effect through yellow lid Also available as curved elements





	Cable Bridge B x L x H in cm	Chanel Size B x L x H in cm	ArtNr. ArtNr.
1 Chanal	100 x 22 x 3	7 x 2	7336
2 Chanal small	100 x 25 x 5	3 x 3,2	7337
2 Chanal large	100 x 45 x 7	5 x 5,5	7338
3 Chanal	100 x 30 x 5	3,5 x 3	7339

Stable Mats



Wellness for your horse

 \bigcirc

Improve sure-footedness and support the horse when getting up and lying down

Thermal insulation effect of rubber mats

against cold from the ground

Muscle diseases, rheumatism and stiffness are reduced







BELMONDO Basic

proven Basic variant

Material:	Vulcanized Rubber
Surface:	Horseshoe profile
Bottom:	Groove profile
Thickness:	18 mm
Size:	1m x 1m
Weight:	20kg

Horse-friendly surface, pleasantly soft, sure-footed for box and lying surface

- *i* Assists the horse in getting up and lying down
- *i* Optimal hygiene condition, easy cleaning
- *i* High-quality rubber, passable
 - Comfortable, economical, sustainable (saves bedding)

Use:

Horse stable and horse box Gearing - easy laying by puzzle connection, easy cutting in the edge area

For perfect conclusion in the entrance area:

Our stainless steel rail (dimensions on request)





B x L in cm	Colour	ArtNr.
100 x 100	black	7530 0 SC 1010
Stainless steel strip		
Stainless steel strip		ArtNr.
Stainless steel strip 100cm		ArtNr. 7342

i

i

56

Dirt Trap Mats

Innovation:

BELMONDO Paddock

wet sure-footedness

High-quality rubber, passable

easily dissolve

Multi-Talent

i

i

i

i

Material:	Vulcanized Rubber
Surface:	Diamond profile with top layer
Bottom:	Pimples (5mm)
Thickness:	24 mm
Size:	1m x 1m
Weight:	22kg

Horse-friendly surface, pleasantly soft, improved

Weather- and UV-resistant, frozen can be easily

dissolved, elastic even in sub-zero temperatures

Good drainage through pimples at the bottom

Optimal hygiene condition, easy cleaning

Use:

Pit dock, paths, washing area

Gearing - easy laying by puzzle connection, easy cutting in the edge area





 B x L in cm
 Colour
 Art.-Nr.

 100 x 100
 black
 7742 0 SC 1010

Innovations



Solutions



 \checkmark

Planning of individual solutions



Implementation of customer-specific wishes





Implementation of process-enhancing products



Drawer Platform

Steel - powder-coated

Material:	Steel, powder-coated
Dimensions:	customizable
Drawers:	cantivevered by ball pull-outs
Load capacity:	200kg per pull-out


Use:

Dry assembly, packaging and control workstations

Heavy use in multi-shift operation

Individual Solution - IN-HOUSE PRODUKTION!

For Safety and Health of your emloyees



Drawer platform - Compensation of the size difference

- cantilevered drawers, lockable in end position
- *i* Dimensions of the platform according to your wishes -Number and distance of the drawers are variable
 - We equip the drawers precisely with our workplace mats
- Cover plate with laser engraving on request,
 ideal storage for tools
- Railing with luminous safety adhesive tape





We manufacture according to your wishes - Please contact us!

i

i

Vehicle Installation: Notebook charging station

lockable

Material:	Multiplex 15mm, HPL coated
Dimensions:	individually adaptable
AC-Voltage converter:	pure sine / 12 V
Installation:	between driver and front passenger seat



i

Vehicle installation - lockable laptop charging station - PROFESSIONAL QUALITY

- Basic dimensions of the charging station according to your wishes
- Variable interior design according to your wishes
- *i* To protect the devices, we equip the interior precisely with our ESD-vinylfoam
- AC voltage converter with USB port and integrated fan
 - Ventilation slots prevent overheating of the AC converter integrated undervoltage monitoring

Use:

Commercial vehicles

<u>Individual Solution</u> - IN-HOUSE PRODUKTION! To support your Service Staff





We manufacture according to your wishes - Please contact us!

Made in Germany by Global Mats



Ø₩.	Precision Work
-----	----------------

- Outstanding Quality
- Brgonomics at Workplaces

Drawer Platform

Balancing the size difference of employees at standing workstations

Ball pull-outs

cantilever

lockable

Safety due to yellow border marking on the entry and exit side

Protective railing with luminous marking tape

Optimal ergonomics Custom-fit 2-layer workplace mats

Fitted foam protects against slipping of workplace mats









Global Mats GmbH CEO: Jörg Siegert

<u>Office</u>

Bramkampweg 22 22949 Ammersbek Tel:+49 (0) 4102 / 217 51 21 Mail: info@global-mats.com

<u>Warehouse</u>

Sandkamp 18 23843 Bad Oldesloe